Author Index

Ahmad, S. M.	Dynamic modelling and linear quadratic Gaussian control of a twin-rotor multi-input multi-output system	203–228
Ahn, K. K.	Design of a strip thickness control system for tandem cold mills using H_∞ control techniques	319–328
Al-Amer, S. H.	*H*-infinity error bounds in approximating time-delay systems	421–426
Al-Amer, S. H.	Robustness bounds for sampled-data linear time-delay systems	497–504
Al-Sunni, F. M.	*H*-infinity error bounds in approximating time-delay systems	421–426
Al-Sunni, F. M.	Robustness bounds for sampled-data linear time-delay systems	497–504
Althoefer, K.	Modelling and control of an unmanned excavator vehicle	259–274
Alvarez-Ramirez, J.	Remarks on the stability of parallel force/position control	519–524
Alves, J.	Design and control of a spherical mobile robot	457–467
Arteaga-Perez, M.	Remarks on the stability of parallel force/position control	519–524
Ayoubi, J.-M.	Design, control and testing of a novel compact laparoscopic endoscope manipulator	329–341
Barrie Jones, N.	Higher-order sliding mode control of a diesel generator set	229–242
Benallegue, A.	A stable neural adaptive force controller for a hydraulic actuator	303–310
Benedetti, M.	A novel algorithm for controlling stepper motors at higher speed	359–366
Berkelman, P.	Design, control and testing of a novel compact laparoscopic endoscope manipulator	329–341
Besançon-Voda, A.	Friction identification using the Karnopp model, applied to an electropneumatic actuator	123–138
Boidard, E.	Design, control and testing of a novel compact laparoscopic endoscope manipulator	329–341
Bouazza-Marouf, K.	Design of a semi-autonomous modular robotic vehicle for gas pipeline inspection	109–122
Bouazza-Marouf, K.	Fuzzy logic control for use in in-pipe mobile robotic system navigation	401–420
Boukas, E. K.	Robustness bounds for sampled-data linear time-delay systems	497–504
Carrica, D. O.	A novel algorithm for controlling stepper motors at higher speed	359–366
Cervantes, I.	Remarks on the stability of parallel force/position control	519–524
Chen, P.	Adaptive vibration active control of fluid pressure pulsations	311–318
Chen, S.-H.	Robust *D*-stability analysis for linear discrete-time singular systems with structured parameter uncertainties and delayed perturbations	1–5
Chen, Y.-Q.	Optimization of a fed-batch fermentation process control competition problem using the NEOS server	427–432
Cheng, C.	Control and safety aspects of medical robots for treatment of diseases of the prostate	155–168
Cheng, P. L.	Control of an underactuated remotely operated underwater vehicle	343–358
Chipperfield, A. J.	Dynamic modelling and linear quadratic Gaussian control of a twin-rotor multi-input multi-output system	203–228
Chu, T.	Intelligent system modelling of a three-dimensional ultrasonic positioning system using neural networks and genetic algorithms	367–378
Cinquin, P.	Design, control and testing of a novel compact laparoscopic endoscope manipulator	329–341
Cooke, R. W.	A computationally efficient technique for modelling velocity-dependent sliding friction	139–146
Cosserat, D. C.	A computationally efficient technique for modelling velocity-dependent sliding friction	139–146
Daachi, B.	A stable neural adaptive force controller for a hydraulic actuator	303–310
Dauphin-Tanguy, G.	Non-regular static state feedback for linear bond graph models	61–71
Dias, J.	Design and control of a spherical mobile robot	457–467
Dülger, L. C.	Motion design and implementation for a hybrid drive system	299–302
Dunlop, G. R.	Analysis of rigid-body dynamics for closed-loop mechanisms—its application to a novel satellite tracking device	285–298
Emura, T.	Dynamics-based control of a one-legged hopping robot	83–98
Eskinat, E.	Model reduction in the physical domain	481–496
Fong, I.-K.	Boundary feedback spectrum shift for distributed parameter systems on a planar domain	73–81
Franco, W.	Comparison of thermal–hydraulic network control strategies	35–47
Gawthrop, P. J.	A bicausal bond graph representation of operational amplifiers	49–58
Goh, K. B.	Higher-order sliding mode control of a diesel generator set	229–242
González, S. A.	A novel algorithm for controlling stepper motors at higher speed	359–366
Gudiño, J.	Remarks on the stability of parallel force/position control	519–524
Hametner, G.	The role of resonance in elementary hydraulic switching control	469–480
Hashemian, M.	Measuring the relative humidity of humid air using a hair hygrometer	379–386

© IMechE 2003

Her, M.-G.	Design and control of a two-dimensional telerobotic system with a haptic interface	169–186
Hsu, K. S.	Design and control of a two-dimensional telerobotic system with a haptic interface	169–186
Hua, Q.	Adaptive vibration active control of fluid pressure pulsations	311–318
Huang, S. N.	Neural network control design for a rigid-link electrically driven robot	99–107
Hyon, S. H.	Dynamics-based control of a one-legged hopping robot	83–98
Jiao, Z.	Adaptive vibration active control of fluid pressure pulsations	311–318
Jones, T. P.	Analysis of rigid-body dynamics for closed-loop mechanisms—its application to a novel satellite tracking device	285–298
Karim, A.	Non-regular static state feedback for linear bond graph models	61–71
Karkoub, M.	Design and control of a two-dimensional telerobotic system with a haptic interface	169–186
Kerr, D.	Design of a semi-autonomous modular robotic vehicle for gas pipeline inspection	109–122
Kerr, D.	Fuzzy logic control for use in in-pipe mobile robotic system navigation	401–420
Kim, J. S.	Design of a strip thickness control system for tandem cold mills using H_∞ control techniques	319–328
Kim, S. S.	Design of a strip thickness control system for tandem cold mills using H_∞ control techniques	319–328
Kireçci, A.	Motion design and implementation for a hybrid drive system	299–302
Koumboulis, F. N.	Model predictive temperature control towards improving cement precalcination	147–153
Kouvakas, N. D.	Model predictive temperature control towards improving cement precalcination	147–153
Lau, M. W. S.	Control of an underactuated remotely operated underwater vehicle	343–358
Lau, W.	Control and safety aspects of medical robots for treatment of diseases of the prostate	155–168
Lee B. R.	Design of a strip thickness control system for tandem cold mills using H_∞ control techniques	319–328
Lee, T. H.	Neural network control design for a rigid-link electrically driven robot	99–107
Létoublon, C.	Design, control and testing of a novel compact laparoscopic endoscope manipulator	329–341
Liang, J.	Optimization of a fed-batch fermentation process control competition problem using the NEOS server	427–432
Lin, T.-L.	An adjustable parameter model for tracking a manoeuvring target	275–284
Linkens, D. A.	Genetic algorithms and hybrid neural network modelling for aluminium stress–strain prediction	7–21
Low, E.	Control of an underactuated remotely operated underwater vehicle	343–358
Lu, S.-H.	Boundary feedback spectrum shift for distributed parameter systems on a planar domain	73–81
McClain, R. L.	Comparison of thermal–hydraulic network control strategies	35–47
Mahajan, A.	Intelligent system modelling of a three-dimensional ultrasonic positioning system using neural networks and genetic algorithms	367–378
Mahfouf, M.	Genetic algorithms and hybrid neural network modelling for aluminium stress–strain prediction	7–21
Mehrabian, M. A.	Measuring the relative humidity of humid air using a hair hygrometer	379–386
Mita, T.	Dynamics-based control of a one-legged hopping robot	83–98
Mohamed, Z.	Hybrid control schemes for input tracking and vibration suppression of a flexible manipulator	23–34
Morris, A. S.	Fuzzy and neuro-fuzzy approaches to control a flexible single-link manipulator	387–400
Neild, S. A.	The error-based minimal control synthesis algorithm with integral action	187–202
Ng, W. S.	Control and safety aspects of medical robots for treatment of diseases of the prostate	155–168
Ong, J. K.	Design of a semi-autonomous modular robotic vehicle for gas pipeline inspection	109–122
Ong, J. K.	Fuzzy logic control for use in in-pipe mobile robotic system navigation	401–420
Orbak, A. Y.	Model reduction in the physical domain	481–496
Palmer, D.	A bicausal bond graph representation of operational amplifiers	49–58
Phee, L.	Control and safety aspects of medical robots for treatment of diseases of the prostate	155–168
Ravanbod-Shirazi, L.	Friction identification using the Karnopp model, applied to an electropneumatic actuator	123–138
Rongong, J. A.	Active constrained-layer damping: a state-of-the-art review	437–456
Scheidl, R.	The role of resonance in elementary hydraulic switching control	469–480
Seet, G.	Control of an underactuated remotely operated underwater vehicle	343–358
Sen, M.	Comparison of thermal–hydraulic network control strategies	35–47
Seneviratne, L. D.	Modelling and control of an unmanned excavator vehicle	259–274
Sims, N. D.	Active constrained-layer damping: a state-of-the-art review	437–456
Spurgeon, S. K.	Higher-order sliding mode control of a diesel generator set	229–242
Stanway, R.	Active constrained-layer damping: a state-of-the-art review	437–456
Stoten, D. P.	The error-based minimal control synthesis algorithm with integral action	187–202
Subudhi, B.	Fuzzy and neuro-fuzzy approaches to control a flexible single-link manipulator	387–400
Sueur, C.	Non-regular static state feedback for linear bond graph models	61–71
Sun, H.-M.	An adjustable parameter model for tracking a manoeuvring target	275–284

© IMechE 2003

Swei, S. S. M.	Control of an underactuated remotely operated underwater vehicle	343–358
Tan, K. K.	Neural network control design for a rigid-link electrically driven robot	99–107
Tokhi, M. O.	Hybrid control schemes for input tracking and vibration suppression of a flexible manipulator	23–34
Tokhi, M. O.	Dynamic modelling and linear quadratic Gaussian control of a twin-rotor multi-input multi-output system	203–228
Tomlinson, S. P.	A computationally efficient technique for modelling velocity-dependent sliding friction	139–146
Troccaz, J.	Design, control and testing of a novel compact laparoscopic endoscope manipulator	329–341
Turkay, O. S.	Model reduction in the physical domain	481–496
Unnikrishnan, N.	Intelligent system modelling of a three-dimensional ultrasonic positioning system using neural networks and genetic algorithms	367–378
Wahde, M.	A method for behavioural organization for autonomous robots based on evolutionary optimization of utility functions	249–258
Wang, S.	Adaptive vibration active control of fluid pressure pulsations	311–318
Xiao, D.	Control and safety aspects of medical robots for treatment of diseases of the prostate	155–168
Yang, K. T.	Comparison of thermal–hydraulic network control strategies	35–47
Yang, S. Y.	Design of a strip thickness control system for tandem cold mills using H_∞ control techniques	319–328
Yang, Y. Y.	Genetic algorithms and hybrid neural network modelling for aluminium stress–strain prediction	7–21
Youcef-Toumi, K.	Model reduction in the physical domain	481–496
Yuen, J.	Control and safety aspects of medical robots for treatment of diseases of the prostate	155–168
Zeng, S.	Modelling and experimental study of the transient response of an active magnetic bearing rotor during rotor drop on back-up bearings	505–517
Zweiri, Y. H.	Modelling and control of an unmanned excavator vehicle	259–274

© IMechE 2003